

IN THE WIND

PENDANT HORIZONTAL

Arihiro Miyake

The In The Wind collection is made of extruded aluminium whose off-axis twisting allows diffuse 360° lighting. The helical shape is achieved through a technique developed specifically by Nemo. The diffusers are made of opaline methacrylate while the extremities are made of die-cast aluminium.



2700K

LAMPING

| | |
|-------------------|--|
| Source | linear LED |
| Total power | 60W |
| Emission | diffused, 360° |
| Switching | dimmable |
| Tension | 120V |
| Color temperature | 2700K |
| Luminous flux | 2570lm |
| Typ CRI | 85 |
| IP class | 20 |
| Dimensions | 72" x 7.4" x 7.4" |
| Materials | aluminum + pc |
| Notes | cable length 16.4' max, metal cable length 9.8', 3500K and 4000K available on request, extra cable on request, round cover plate included, integral driver dual capability TRIAC-ELV and 0-10V |
| Net lamp weight | 8,8 lbs |

Codes

- ITW LWW 56
- ITW LNW 56
- ITW LGW 56
- ITW LDW 56


Structure

- white
- black
- gold
- titan grey

PACKAGE

Package 01 Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

Certificazioni



3000K

LAMPING

| | |
|-------------------|--|
| Source | linear LED |
| Total power | 60W |
| Emission | diffused, 360° |
| Switching | dimnable |
| Tension | 120V |
| Color temperature | 3000K |
| Luminous flux | 2850lm |
| Typ CRI | 85 |
| IP class | 20 |
| Dimensions | 72" x 7.4" x 7.4" |
| Materials | aluminum + pc |
| Notes | cable length 16.4' max, metal cable length 9.8', 3500K and 4000K available on request, extra cable on request (100USD per a minimum of 20'), round cover plate included, integral driver dual capability TRIAC-ELV and 0-10V |
| Net lamp weight | 8,8 lbs |

Codes

ITW LWW 57
ITW LNW 57
ITW LGW 57
ITW LDW 57

Structure

white
black
gold
titan grey

PACKAGE

Package 01 Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

Certificazioni

