


LINESCAPES FLOOR

A clear and compact light line defines a classic in the world of lighting. Inspired by a special project for a private collection of contemporary art, Linescapes is versatile with a high luminous efficacy guaranteed by its multidirectional linear development.



2700K

LAMPING

Source	linear LED
Total power	42W
Emission	diffused side emission
Switching	dimnable on cable
Tension	110-240V
Color temperature	2700K
Luminous flux	2050lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LW2 22
LIN LN2 22
LIN LG2 22

Structure/Diffuser

white/grey/white
black/grey/white
gold/white

PACKAGE

Package 01	Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Package 02	Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni



3000K

LAMPING

Source	linear LED
Total power	42W
Emission	diffused
Switching	dimmable on cable
Tension	110-240V
Color temperature	3000K
Luminous flux	2050lm
Typ CRI	85
IP class	20
Materials	Aluminium + PC + ABS
Notes	cable length 2,5m
Net lamp weight	8,9 kg

Codes

LIN LWD 22
LIN LND 22
LIN LGD 22

Structure/Diffuser

white/grey/white
black/grey/white
gold

PACKAGE

Package 01	Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Package 02	Dimension: 20x20x204 cm / Gross weight: 5,5 kg

Certificazioni

