

Luminaire


Code FIM LWW 32
Name Fix Single Em. Led 6W

Measurerm.

Code FS052016
Name Fix Single Em. Led 6W

Luminaire Flux	381.00 lm	Luminaire Power	6.00 W	Efficacy	63.50 lm/W	Efficiency	100.00%
Lamps Flux	381.00 lm	Maximum value	419.19 cd/klm	Position	C=0.00 G=180.00	CG	Asymmetrical
Rectangular Luminaire Round Luminous Area	Length Diam.	100 mm 65 mm	Width Height	100 mm 0 mm	Height	30 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.003318 m2 0.000000 m2 0.000000 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.000000 m2 0.000000 m2 0.000803 m2				
Coordinate system Date Measurement Distance	CG 27-01-2000 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 381.00 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell	230.00 V				

Line	Code Led	Luminaire Lamps Name Led	Flux [lm] 381.00	Pow. [W] 6.00	Q.ty 1
C.I.E. F UTE	0 0 0 0 100 1.00 T	D DIN 5040 B NBN	-- BZ 10		



ULOR 99.99 %
DLOR 0.01 %
RN 99.99 %

