


DESK MATRIX

With the Desk Matrix, our Linescapes System can now be configured in rectangular and square shapes, both vertically and horizontally. Sleek continuous light lines with an infinite number of constellations to fit any table size or interior design need. Available in 2700K or 3000K CCT, black or white finishing. Compositions come fully equipped to work right out of the box, 1-10 V dimmable driver and its case included.



DESK MATRIX | 44X44CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 24W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 1340lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 51
LSH LN2 51

Structure

white
black

Certificazioni



DESK MATRIX | 44X44CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 24W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 1340lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 51
LSV LN2 51

Structure

white
black

Certificazioni



DESK MATRIX | 44X44CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 24W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 1340lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 51
LSH LN3 51

Structure

white
black

Certificazioni



DESK MATRIX | 44X44CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 24W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 1340lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 51
LSV LN3 51

Structure

white
black

Certificazioni



DESK MATRIX | 64X44CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 31W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 1870lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |

Codes

LSH LW2 55


LSH LN2 55

Structure

white

black

Certificazioni



DESK MATRIX | 64X44CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 31W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 1870lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 55
LSV LN2 55

Structure

white
black

Certificazioni



DESK MATRIX | 64X44CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 31W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 1870lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 55
LSH LN3 55

Structure

white
black

Certificazioni



DESK MATRIX | 64X44CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 31W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 1870lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 55
LSV LN3 55

Structure

white
black

Certificazioni



DESK MATRIX | 114X44CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 50W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 2920lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 58
LSH LN2 58

Structure

white
black

Certificazioni



DESK MATRIX | 114X44CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 50W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 2920lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 58
LSV LN2 58

Structure

white
black

Certificazioni



DESK MATRIX | 114X44CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 50W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 2920lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |

Codes

LSH LW3 58


LSH LN3 58

Structure

white

black

Certificazioni



DESK MATRIX | 114X44CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 50W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 2920lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |

Codes

LSV LW3 58


LSV LN3 58

Structure

white

black

Certificazioni



DESK MATRIX | 178X44CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 78W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4200lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 5A
LSH LN2 5A

Structure

white
black

Certificazioni



DESK MATRIX | 178X44CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 78W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4200lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 5A
LSV LN2 5A

Structure

white
black

Certificazioni



DESK MATRIX | 178X44CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 78W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4200lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 5A
LSH LN3 5A

Structure

white
black

Certificazioni



DESK MATRIX | 178X44CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 78W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4200lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 5A
LSV LN3 5A

Structure

white
black

Certificazioni



DESK MATRIX | 64X64CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 38W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 2400lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 52
LSH LN2 52

Structure

white
black

Certificazioni



DESK MATRIX | 64X64CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 38W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 2400lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 52
LSV LN2 52

Structure

white
black

Certificazioni



DESK MATRIX | 64X64CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 38W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 2400lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 52
LSH LN3 52

Structure

white
black

Certificazioni



DESK MATRIX | 64X64CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 38W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 2400lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 52
LSV LN3 52

Structure

white
black

Certificazioni



DESK MATRIX | 114X64CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 57W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 3450lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 56
LSH LN2 56

Structure

white
black

Certificazioni



DESK MATRIX | 114X64CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 57W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 3450lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 56
LSV LN2 56

Structure

white
black

Certificazioni



DESK MATRIX | 114X64CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 57W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 3450lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 56
LSH LN3 56

Structure

white
black

Certificazioni



DESK MATRIX | 114X64CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 57W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 3450lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 56
LSV LN3 56

Structure

white
black

Certificazioni



DESK MATRIX | 178X64CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 85W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4730lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 59
LSH LN2 59

Structure

white
black

Certificazioni



DESK MATRIX | 178X64CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 85W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4730lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 59
LSV LN2 59

Structure

white
black

Certificazioni



DESK MATRIX | 178X64CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 85W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4730lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |

Codes

LSH LW3 59


LSH LN3 59

Structure

white

black

Certificazioni



DESK MATRIX | 178X64CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 85W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4730lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 59
LSV LN3 59

Structure

white
black

Certificazioni



DESK MATRIX | 114X114CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 76W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4500lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 53
LSH LN2 53

Structure

white
black

Certificazioni



DESK MATRIX | 114X114CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 76W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 4500lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 53
LSV LN2 53

Structure

white
black

Certificazioni



DESK MATRIX | 114X114CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 76W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4500lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 53
LSH LN3 53

Structure

white
black

Certificazioni



DESK MATRIX | 114X114CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 76W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 4500lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 53
LSV LN3 53

Structure

white
black

Certificazioni



DESK MATRIX | 178X114CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 104W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 5780lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 57
LSH LN2 57

Structure

white
black

Certificazioni



DESK MATRIX | 178X114CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 104W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 5780lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 57
LSV LN2 57

Structure

white
black

Certificazioni



DESK MATRIX | 178X114CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 104W |
| Emission | diffused, orientable 360° |
| Switching | dimmable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 5780lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 57
LSH LN3 57

Structure

white
black

Certificazioni



DESK MATRIX | 178X114CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 104W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 5780lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW3 57
LSV LN3 57

Structure

white
black

Certificazioni



DESK MATRIX | 178X178CM - HORIZONTAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 132W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 7060lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW2 54
LSH LN2 54

Structure

white
black

Certificazioni



DESK MATRIX | 178X178CM - VERTICAL 2700K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 132W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 2700K |
| Luminous flux | 7060lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSV LW2 54
LSV LN2 54

Structure

white
black

Certificazioni



DESK MATRIX | 178X178CM - HORIZONTAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 132W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 7060lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |


Codes

LSH LW3 54
LSH LN3 54

Structure

white
black

Certificazioni



DESK MATRIX | 178X178CM - VERTICAL 3000K

LAMPING

| | |
|-------------------|---|
| Source | Linear LED |
| Total power | 132W |
| Emission | diffused, orientable 360° |
| Switching | dimnable 1-10V |
| Tension | 110/240V |
| Color temperature | 3000K |
| Luminous flux | 7060lm (source luminous flux) |
| Typ cri | 85 |
| Energy class | A+ |
| Materials | aluminium + PC + ABS |
| Notes | driver included, adjustable cable length max 3m |

Codes

LSV LW3 54
LSV LN3 54

Structure

white
black

Certificazioni

