IN THE WIND FLOOR

Arihiro Miyake

The In The Wind collection is made of extruded aluminium whose off-axis twisting allows diffuse 360° lighting. The helical shape is achieved through a technique developed specifically by Nemo. The diffusers are made of opaline methacrylate while the extremities are made of die-cast aluminium.



3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable on cable
Tension	110-240V
Color temperature	3000K
Luminous flux	2850lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	cable length 2m, black RAL 9005, white RAL 9003
Net lamp weight	3 kg


Codes	*Structure*
ITW LWW 21	white
ITW LNW 21	black
ITW LGW 21	gold
ITW LDW 21	titan grey

PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg

Certificazioni





2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable on cable
Tension	110-240V
Color temperature	2700K
Luminous flux	2570lm
Typ CRI	85
IP class	20
Materials	aluminium + PC
Notes	cable length 2m
Net lamp weight	3 kg

Codes	*Structure*
ITW LWW 22	white
ITW LNW 22	black
ITW LGW 22	gold
ITW LDW 22	titan grey

PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg

Certificazioni



