

BORNE BÉTON PETITE

Le Corbusier

It was 1952 when Le Corbusier designed Borne Béton for the outdoor area of the Unité d'Habitation in Marseille and to enlighten Bhakra Dam, Sukhna Dam in India. An early experiment in the use of concrete for a collection of lamps along the lines of Brutalist architecture. Raw, spartan concrete is combined with a built-in LED source, combining different volumes emphasised by light. The small aesthetic and finishing variations make each Borne Béton a unique project.



LED INDOOR

LAMPING

Source	LED board
Total power	19W
Emission	direct
Switching	dimmable on cable
Tension	110-240V
Color temperature	3000K
Luminous flux	960lm
Typ CRI	80
IP class	20
Dimensions	30x22x31cm
Materials	concrete + PMMA
Notes	cable length 2,7m
Net lamp weight	13,5 kg

Codes

BBP LDW 21

Structure


concrete

PACKAGE

Package 01

Dimension: 44x35x45 cm / Gross weight: 15 kg

Certificazioni



LED OUTDOOR

LAMPING

Source	LED board
Total power	19W
Emission	direct
Tension	110-240V
Color temperature	3000K
Luminous flux	960lm
Typ CRI	80
IP class	44
Dimensions	30x22x31cm
Materials	concrete + PMMA
Notes	cable length 3m, body and cable IP65 rated
Net lamp weight	13,5 kg

Codes

BBP LDW 23

Structure

concrete

PACKAGE

Package 01 Dimension: 44x35x45 cm / Gross weight: 15 kg

Certificazioni

